GSRFID

GS-W4

RFID Elastic Wristband

Engineered with high-stretch, moisture-wicking fabric, these bands provide unparalleled comfort and a secure, non-slip fit perfect for marathons, fitness challenges, adventure races, and health monitoring applications.

- Stretchy fabric moves with the wearer
- No slippage during intense activity
- Continuous Wear Ready

- **Specification**

Model	GS-W4
| RF SPECIFICATION	
Identification Method	LF, HF, UHF
chip	MIFARE Classic, TK4100, NXP UCODE
Frequency Range	840MHz ~ 960MHz
Protocol	EPC C1G2, ISO 18000-6B, ISO 18000-6C
Base material	**Polyester with elastic**
Memory	
EPC	96bits
User	0-512bit
TID	96 bits
| BASIC SPECIFICATION	
size	190mm or Customized, width:25mm
IC Life	100，000 Programming cycles, 10years data retention
Operating Temperature	-40°C to +85°C
Humidi	20% to 90%
Storag	-25°C to +50°C

GSRFID

RFID IoT Application

Follow us: **GSRFID**

Headquarters

Chengdu Unique Globalsmart Technology Co., Ltd..

1st Floor, No. 38 Zishan Road, High-tech Zone,
Chengdu City, Sichuan , China.

Contact Us

TEL: +86 15228896717
Mail: info@gsrfid.com